AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1. (Currently Amended) A system for removing vapors and particles from a pressurized surgical eavity site, the system comprising:
 - a fluid pathway including an intake end and a return end, both ends being in fluid communication with a the pressurized surgical site;
 - a flow generating device in fluid communication with the fluid pathway and located between the intake end and the return end;
 - a filter in fluid communication with the fluid pathway and located between the intake end and the return end,

wherein the <u>flow generating device and the filter are generally immediately adjacent to</u> the surgical site when the system is in use and wherein the flow generating device generates a flow rate through the system of approximately 0.2 to approximately 4.5 liters per minute for a fluid comprising insufflation gases.

- 2. (Original) The system of claim 1, wherein the flow rate creates a minimal total system pressure loss.
- 3. (Original) The system of claim 1, the flow rate is approximately 2.5 to approximately 4.0 liters per minute.

Reply to O.A. of January 10, 2005

4. (Original) The system of claim 3, wherein the flow rate creates a minimal total system pressure loss.

5. (Original) The system of claim 1, wherein the flow generating device is sterile prior to use and disposable.

6. (Original) The system of claim 1, wherein the filter includes a water trap.

7. (Original) The system of claim 1 further comprising a valve adapted to control the fluid flow.

- 8. (Currently Amended) The filter system of claim 1 further comprising an odor removing media.
- 9. (Currently Amended) The filter system of claim 1 further comprising a particulate removing media.
- 10. (Original) The system of claim 1, wherein the flow generating device is battery powered.
 - 11. (Original) The system of claim 1, wherein the generated flow is substantially steady.

Application Number: 10/612,862 Reply to O.A. of January 10, 2005

- 12. (Original) The system of claim 1, wherein the flow generating device and the filter are capable of undergoing sterilization.
- 13. (Original) The system of claim 1, wherein the system is capable of undergoing sterilization.
- 14. (Original) The system of claim 1, the flow generating device is incapable of generating a spark.
 - 15. (Original) The system of claim 1, wherein the system is disposable.
- 16. (Currently Amended) The system of claim 1, wherein the system is operable without being coupled to any device remote from the location of its use adjacent to the pressurized surgical site.
- 17. (Original) The system of claim 1, wherein the flow generating device comprises a positive displacement pump.